

# Spartan Chemical Company, Inc. **Material Safety Data Sheet**

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): **SPARCLEAN DETERGENT II [49]** 

Product Number: 7649

1110 Spartan Drive Maumee OH 43537

Spartan Chemical Company, Inc.

**Product Division: Janitorial** 

Product/Technical Information: 1-(800)-537-8990

Medical Emergency: 1-(888)-314-6171 (24 hours)

Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Corrosive liquids, n.o.s., 8, UN1760, II (contains sodium hydroxide)

NFPA Ratings:	HMIS Ratings:
Health: 3 - Serious	Health: 3 - Serious
Fire: 0 - Minimal	Fire: 0 - Minimal
Reactivity: 1- Slight	Reactivity: 1- Slight
	Pers. Prot. Equip.: See Section VIII

#### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1-A			
Chemical Name(s)	%Wt	CAS Registry No.	TWA mg/m³	STEL mg/m³	CEILING mg/m³	NTP, IARC or OSHA Carcinogen
Sodium hydroxide	15-20	1310-73-2	2	Not Established	Not Established	No
Chelating agent	1-5	164462-16-2	Not Established	Not Established	Not Established	No
Detergent polymer	1-5	68479-09-4	Not Established	Not Established	Not Established	No

## SECTION III: PHYSICAL DATA

Boiling Point: 212 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: 13.5-14.0	Specific Gravity (H <sub>2</sub> O=1): 1.220
Evaporation Rate (but.ace.=1): <1	Percent Solid by Weight: 20-25
Physical State: Liquid	
Appearance & Odor: Clear liquid, mild odor	

### SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used: ASTM-D56
Flammable Limits:	N/A	Flame Extension: N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.	
	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.	
Unusual Fire & Explosive Hazards:	: Products of combustion are toxic. Contact with aluminum or other reactive metals may release hydrogen gas. Heat is generated when mixed with water. This reaction may be violent.	

## SECTION V: HEALTH HAZARD DATA

SECTION V: HEALTH HAZARD DATA			
Threshold Limit Value:	Not Established	Primary Routes of Entry: Inhalation, Skin Contact, Eyes & Oral	
Effects of Overexposure-	CORROSIVE:	-	
Conditions to Avoid:	Conditions to Avoid: Causes eye burns: Causes severe eye damage or irritation with symptoms of pain, redness and chemical burns. Eye contact may cause blindness.  Causes skin burns: Causes severe skin damage or irritation with symptoms of pain, redness and chemical burns. Harmful contact may not cause immediate pain.  Harmful or fatal if swallowed: Causes damage or chemical burns to esophagus and mucous membranes with symptoms of pain, nausea, vomiting and diarrhea.  Harmful if inhaled: Breathing product mist may cause irritation or damage of the respiratory tract, with symptoms of nasal discomfort and coughing.  Do not get in eyes, on skin or on clothing. Do not breathe product mist. Do not swallow. Use		
	with adequate ventilation. Wash the	noroughly after handling.	
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and		
	dermatitis.		
Emergency & First Aid Procedures:			
Eyes:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical		
	attention.		
Skin:	Remove contaminated clothing and s	hoes. Flush skin with water for at least 15 minutes. Get medical	
	attention. Wash contaminated clothing	ng before reuse. Destroy contaminated shoes.	
Ingestion:	Call a poison control center or doctor	immediately for treatment advice. Do not induce vomiting. Drink	
	one or two glasses of water to dilute	product. Do not give anything by mouth to an unconscious person.	
Inhalation:	Move person to fresh air. Get medica	al attention if irritation persists.	
Note to Physician: Probable mucosal	<u> </u>	·	

## SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong acids; oxidizing agents and reactive metals such as aluminum.		
Hazardous Decomposition Products: Carbon dioxide, monoxide	Hazardous Polymerization: Will Not Occur		

#### SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case

Material is Released or Spilled: Contain large spills and transfer the material to appropriate containers for reclamation or disposal.

Absorb remaining material or small spills with an inert material and dispose of in accordance with federal,

state and local regulations. Keep spill out of storm sewers and waterways.

Waste Disposal Method: Dispose of in compliance with all federal, state and local laws and regulations.

#### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection: Not required with intended use. However, if If exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered. (N95 is recommended)

Ventilation: Provide good general ventilation. Local exhaust ventilation may be necessary for some operations. Protective Gloves(Specify Type): Rubber or other impervious gloves are recommended when handling product.

Splash goggles are recommended when handling product. Eye Protection(Specify Type):

Eye wash stations and washing facilities should be readily accessible in areas where product is handled... Other Protective Equipment: See 29 CFR 1910.132-138 for further guidance.

# SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing: Keep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above 120°F. Do not

mix with other chemicals

Other Precautions: Keep out of reach of children.

© SCC 11/08/2011 Name: Title: Ronald T. Cook Manager, Regulatory Affairs

Effective Date: 11/08/2011 Supercedes: 12/20/2010 SPARCLEAN DETERGENT II [49]

Ref: 29 CFR 1910.1200 (OSHA) Changes: Formula Revision

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.